

THE ASSISTANT COMMISSIONER OF PATENTS
Washington, D.C. 20231

05-01-00
DOCKET NUMBER: AUS000029US1
APRIL 28, 2000

Sir:

Transmitted herewith for filing is the Patent Application of:

Inventor: MICHAEL WAYNE BROWN ET AL

For: MANAGING CONSUMER PREFERENCES WITH A PORTABLE DATA PROCESSING SYSTEM

Enclosed are:

☒ Patent Specification and Declaration

☒ 6 sheets of drawing(s).

☒ An assignment of the invention to International Business Machines Corporation (includes Recordation Form Cover Sheet).

☐ A certified copy of a application.

☐ Information Disclosure Statement, PTO 1449 and copies of references.

The filing fee has been calculated as shown below:

For	Number Filed	Number Extra	Rate	Fee
Basic Fee				\$690
Total Claims	72 -20	52	x 18 =	\$936
Indep. Claims	15 - 3	12	x 78 =	\$936
MULTIPLE DEPENDENT CLAIM PRESENTED			x260=	\$
			TOTAL	\$2562

☒ Please charge IBM Corporation Deposit Account No. 09-0447 in the amount of \$2562.00. A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to IBM Corporation Deposit Account 09-0447. A duplicate copy of this sheet is enclosed.

☒ Any additional filing fees required under 37 CFR §1.16.

☒ Any patent application processing fees under 37 CFR §1.17.

CERTIFICATE OF MAILING BY "EXPRESS MAIL" UNDER 37 CFR § 1.10

"Express Mail" mailing label number EL453461478US

Date of Mailing APRIL 28, 2000

I hereby certify that the documents indicated below are being deposited with the United States Postal Service under 37 CFR 1.10 on the date indicated above and are addressed to Box Patent Applications, Assistant Commissioner of Patents, Washington, D C 20231 and mailed on the above Date of Mailing with the above "Express Mail" mailing label number

CHRIS MONTEZ

Respectfully submitted,

By ANDREW J. DILLON
Registration No. 29,634
FELSMAN, BRADLEY, VADEN, GUNTER & DILLON,
LLP
Suite 350 Lakewood on the Park
7600B North Capital of Texas Highway
Austin, Texas 78731
Telephone (512) 343-6116

**MANAGING CONSUMER PREFERENCES WITH A PORTABLE DATA
PROCESSING SYSTEM**

CROSS-REFERENCE TO RELATED APPLICATIONS

5

The present application is related to the following
copending applications, which are filed on even date
herewith and incorporated herein by reference:

10

(1) U.S. Patent Application Serial No. ____/____
(Attorney Docket No. AUS000030US1); and

(2) U.S. Patent Application Serial No. ____/____
(Attorney Docket No. AUS000031US1).

15

BACKGROUND OF THE INVENTION

1. Technical Field:

20

The present invention relates in general to an
electronic consumer preference manager and, in
particular, to a method, system, and program for
electronically managing consumer preferences for a user.
Still more particularly, the present invention relates to
a method, system and program for utilizing a single
portable data processing system to manage transmission of
consumer preferences for a user to multiple diverse
retailer systems.

25

2. Description of the Related Art:

As the tide is turning towards a paperless world, computers are becoming more prevalent in order to replace many functions previously performed utilizing paper. In particular, computing devices, such as personal digital assistants, laptop computers and cellular/digital telephones are becoming more commonplace as a personal, portable computer system. Such devices are typically designed to provide reliable and efficient transmittal and storage of data. For example, many digital telephones not only include capabilities to transmit and receive voice data, but to transmit and receive electronic data such as stock quotes, current weather and news. A small display device is typically provided to display the electronic data.

In the consumer world, web sites accessible via a personal computer are allowing services provided to consumers to become more customized. For example, a travel-related web site may provide for a user to enter travel preferences such that when fares that meet the travel preferences are available, the user is notified by electronic mail. In another example, a user may customize an opening web page, such as at yahoo.com, to include preferred types of news, stocks and weather when the user accesses the web page. However, while these web sites provide for user-customization, the user must typically re-enter preferences and personal information at each web site. For example, a user who registers at amazon.com must re-enter preferences and personal information to register at jcrew.com.

In addition, web sites which are accessible via a personal computer are providing bot services. A bot(short for robot) or agent is a program that performs a repetitive, time consuming task, such as searching Web sites and newsgroups for information and indexing the Web sites and newsgroup listings in a databases or an automatic record-keeping system. For example, a user may utilize a Web site offering a shop bot to search the web for the lowest price for a particular music compact disc (CD). The bot would return a listing of web sites selling the particular CD and the price offered by each site. A user is relieved of the task of going to each web site, searching for the CD and recording the price of the CD at that site. However, while bots provide for gathering consumer provider information in a time-efficient manner, typically bots do not provide for the web retailers to respond with additional specialized products and services according to customer preferences. In addition, in the example of the CD, if a user selects to purchase the CD from a particular site provided by the bot, the user must still enter preferences and personal information to register at the site to make the purchase.

Global positioning systems (GPS) add to the applications of personal, portable computer systems. In the consumer world, as personal computer systems include GPS and communication mediums to connect to a network, personal computer systems may receive regionalized advertising and sale updates. For example, a shopper's eye system, incorporating a personal digital assistant (PDA) equipped with a GPS and wireless Internet Protocol (IP), enables a two-way channel with a central control

center through which retailers can present customized offers to nearby shoppers based on their particular interests. In particular, the location of a user, shopping goals, preferences and related history may be detected by a central control center for a mall the user has entered. This information is routed to stores in the mall and as the stores receive this information, they may create a customized offer of bundled goods and services. In addition, manufacturers of competing goods are notified and may respond with incentives to add to the offer. The offer is transmitted from the central control center to the user's PDA.

However, the shopper's eye system only provides for a user to receive electronic information at their PDA within a controlled network environment, such as a mall. In addition, the shopper's eye system does not provide for a user to selectively broadcast their preferences to particular stores within a mall or any other shopping environment. In addition, the shopper's eye system does not provide for adjusting both offers transmitted to a user's PDA and the service received by the user upon entering a store. Moreover, the shopper's eye system does not including filtering data at the PDA, such as the shopping preferences for the user, according to the retailer, in order to limit the type of data provided to a particular store or stores. Furthermore, the shopper's eye system does not provide for filtering offers received at the user's PDA to only certain types of offers and to protect against retailer spamming. In addition, the shopper's eye system does not provide for changing electronic advertising at the store or at an output

interface accessible to the user according to the user's shopping preferences and location. Moreover, the shopper's eye system does not provide for linking a user's registration at a web site provided by the retailer with the store location provided by the same retailer.

In view of the foregoing, it would be preferable to provide a portable computer system as a personal preference manager that includes multiple types of preferences for a user that are filterable and exportable to multiple diverse retailers such that the retailers can personalize services and products provided to that user. It would be preferable for the retailer to personalize services provided both electronically and via employees to improve customer service. In addition, it would be preferable for a user to designate security criteria for the multiple types of preferences such that differing levels of preferences are transmitted to retailers according to criteria such as the type of retailer, reputation of a retailer, location of a retailer, etc. Moreover, it would be preferable to adjust advertising provided by retailers at display devices accessible to the user according to user preferences. In addition, it would be preferable to link Internet shopping and location shopping such that a user can automatically register at a web site via a bot or via visiting the physical store location.

SUMMARY OF THE INVENTION

In view of the foregoing, it is therefore an object of the present invention to provide an improved electronic preference manager.

It is another object of the present invention to provide an improved method, system, and program for electronically managing consumer preferences for a user.

It is yet another object of the present invention to provide an improved method, system, and program for utilizing a single portable data processing system to manage transmission of consumer preferences for a user to multiple diverse retailer systems.

In accordance with the method, system, and program of the present invention, consumer preferences designated for a user are transmitted in a transmittable data format from a portable data processing system associated with the user to multiple independent server systems each associated with a consumer provider from among multiple diverse consumer providers, in response to detecting the physical presence of the portable data processing system associated with the user within a particular proximity of multiple venues associated with the diverse consumer providers. Specialized services and products from each of the diverse consumer providers may be designated for the user at each of the independent server systems, in response to comparing the consumer preferences for the user with a database of services and products at each of the independent server systems. The designated

specialized services and products are transmitted to the portable data processing system in the transmittable data format, such that a consumer provider from among multiple diverse consumer providers adjusts services and products provided to a particular user via a portable data processing system according to electronically received consumer preferences for the particular user.

All objects, features, and advantages of the present invention will become apparent in the following detailed written description.

BRIEF DESCRIPTION OF THE DRAWINGS

The novel features believed characteristic of the invention are set forth in the appended claims. The invention itself however, as well as a preferred mode of use, further objects and advantages thereof, will best be understood by reference to the following detailed description of an illustrative embodiment when read in conjunction with the accompanying drawings, wherein:

Figure 1 depicts an one embodiment of a data processing system with which the method, system and program of the present invention may advantageously be utilized;

Figure 2 illustrates a high level block diagram of one embodiment of an electronic consumer preference management system in accordance with the method, system, and program of the present invention;

Figure 3 depicts a detailed block diagram of one embodiment of an electronic consumer preference management system in accordance with the method, system, and program of the present invention;

Figure 4 illustrates a high level logic flowchart of a process and program for controlling a retailer server system in accordance with the method, system, and program of the present invention;

5

Figure 6 illustrates a pictorial diagram of multiple output interfaces controlled via a retailer server system in accordance with the method, system, and program of the present invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENT

The present invention may be executed in a variety of systems, including a variety of computing systems and electronic devices under a number of different operating systems. In a preferred embodiment of the present invention, the computer system is a portable computing system such as a notebook computer, a palmtop computer, a personal digital assistant, a telephone or other electronic computing system that may also incorporate communications features that provides for telephony, enhanced telephony, messaging and information services. However, the computer system may also be, for example, a desktop computer, a network computer, a midrange computer or a mainframe computer. Preferably, in order to enable at least one of these communications features, the computer system is able to be connected to a network, such as the Internet by either a wired link or wireless link. In addition, the computer system may be a stand-alone system or part of a network such as a local-area network (LAN) or a wide-area network (WAN). Therefore, in general, the present invention is preferably executed in a computer system that performs computing tasks such as manipulating data in storage that is accessible to the computer system. In addition, the computer system includes at least one output device and at least one input device.

Referring now to the drawings and in particular to **Fig.1**, there is depicted a block diagram of one embodiment of a computer system that may utilize the present invention. As depicted, data processing system

10 includes at least one processor **12**, which is coupled to system bus **11**. Each processor **12** is a general-purpose processor, such as IBM's PowerPC™ processor that, during normal operation, processes data under the control of operating system and application software stored in random access memory (RAM) **14** and Read Only Memory (ROM) **13**. The operating system preferably provides a graphical user interface (GUI) to the user. Application software contains instructions that when executed on processor **12** carry out the operations depicted in the flowcharts of **FIGS. 4, 5** and others described herein.

Processors **12** are coupled via system bus **11** and Peripheral Component Interconnect (PCI) host bridge **16** to PCI local bus **20**. PCI host bridge **16** provides a low latency path through which processor **12** may directly access PCI devices mapped anywhere within bus memory and/or I/O address spaces. PCI host bridge **16** also provides a high bandwidth path for allowing PCI devices to directly access RAM **14**.

PCI local bus **20** interconnects a number of devices for communication under the control of PCI controller **30**. These devices include a Small Computer System Interface (SCSI) controller **18**, which provides an interface to SCSI hard disk **19**, and communications adapter(s) **15**, which interface data processing system **10** to at least one data communication network **17** comprising wired and/or wireless network communications. In addition, an audio adapter **23** is attached to PCI local bus **20** for controlling audio

output through speaker **24**. A graphics adapter **21** is also attached to PCI local bus **20** for controlling visual output through display monitor **22**. In alternate embodiments of the present invention, additional peripheral components may be added. For example, in alternate embodiments, a tactile display component may be provided.

PCI local bus **20** is further coupled to an Industry Standard Architecture (ISA) bus **25** by an expansion bus bridge **29**. As shown, ISA bus **25** has an attached I/O (Input/Output) controller **34** that interfaces data processing system **10** to peripheral input devices such as a keyboard and mouse (not illustrated) and supports external communication via parallel, serial and universal serial bus (USB) ports **26**, **27**, and **28**, respectively.

With reference now to **Figure 2**, there is illustrated a high level block diagram of an electronic consumer preference management system in accordance with the method, system, and program of the present invention. As depicted, portable computer system **10** communicates with multiple diverse server systems **80a-80n** via a bi-directional communications medium (or across a communication interface). In addition, portable computer system **10** communicates with multiple diverse computer systems **39a-39n** that include multiple diverse consumer preferences for multiple diverse individuals. The communications medium may include wired or wireless communications or other communications media that enables bi-directional transmission of data. Moreover, the

communications medium may include a link to a network, such as the Internet, or a direct data link. Furthermore, data may be transmitted from server systems **80a-80n** to an electronic mail address that is accessible to portable computer system **10**.

In a wired embodiment of the communications medium, for example, server systems **80a-80n** and alternate computer systems **39a-39n** are connected to computer system **10** via parallel, serial, or USB ports, or the communication adapter as depicted in **FIG. 1**. In a wireless embodiment of the communications medium, for example, server systems **80a-80n** and alternate computer systems **39a-39n** are wirelessly connected to computer system **10** via infrared, radio frequency (RF), cellular and other wireless transmissions which are detected by computer system **10**. Wireless transmissions between computer system **10** and server systems **80a-80n** and alternate computer systems **39a-39n** may occur passively or actively.

Data exchange across the communications medium is advantageously performed in at least one of multiple available data transmission protocols and is preferably supported by a common data structure format, such as the extensible mark-up language (XML) data structure format. Data transmission protocols may include, but are not limited to, Transmission Control Protocol (TCP), Internet Protocol (IP), Hypertext Transfer Protocol (HTTP), and Bluetooth. In addition, data may be transmitted in a secure manner via encryption or by technologies, such as

secure socket layer (SSL) or virtual private networks (VPN).

An example of an XML data file that might be transmitted from server systems **80a-80n** to portable computer system **10**, as depicted below, preferably contains data that is distinguished by attributes on elements and may be wrapped within a larger element. For example, the data attributed to element "<TimeStamp></TimeStamp>" designates the time that the data was attributed to the XML data file.

```
<PROD/SERV TimeStamp="888965153" MachineID="77"
LocationName="RetailerA-SouthAustin" UserID="JANEXYZ"
UserAddress="163.342.5.6" SpecOffer="Red Jacket for $20
off" SpecOfferGraph="jacket.jpg" Clothing="Red Jacket"
ClothCost="40.00" ClothSize="M" Footwear="Black Shoes"
FootwearCost="30.00" FootwearSize="9" Service="Shoe
Shine" ServiceCost="5.00/shoe">
```

A second example of the same data in an alternate XML data format this includes elements and attributes is illustrated below

```
<TimeStamp>888965153</TimeStamp>
<MachineID>77</MachineID>
<LocationName>RetailerA-SouthAustin</LocationName>
<UserID>JANEXYZ</UserID>
<UserAddress>163.342.5.6</UserAddress>
<SpecOffer>Red Jacket for $20 off</SpecOffer>
<SpecOfferGraph>jacket.jpg</SpecOfferGraph>
<Clothing>Red Jacket</Clothing>
<ClothCost>40.00</ClothCost>
```

<ClothSize>M</ClothSize>
<Footwear>Black Shoes</Footwear>
<FootwearCost>30.00</FootwearCost>
<FootwearSize>9</FootwearSize>
<Service>Shoe Shine</Service>
<ServiceCost>5.00/shoe</ServiceCost>

In the examples, as will be further described, consumer preferences for a particular user are preferably transmitted from computer system **10** to multiple diverse retailer server systems **80a-80n**. The multiple diverse retailer server systems **80a-80n** may compare the user's consumer preferences with products and/or services offered by the retailer and transmit a specialized offering of products and/or services to the user. The above described XML data file examples are intended as functional examples of XML data files of a specialized offering for a particular user that might be transmitted to the user's computer system **10** from a particular retailer server system. The elements, format of the elements and data included with the elements is provided to depict an example and is not intended to limit the types of elements, format of elements or data included with elements that are in an XML data file.

In particular, in the examples, a specialized product and service offering is designated for a user "JANEXYZ" by Retailer A's SouthAustin store from a server system with a machine ID of "77". The specialized product and service offering includes a special offer of \$20 off a red jacket and includes a graphical image of the red jacket. In addition, the specialized offering

includes a clothing product of a red jacket for \$40.00 in a medium size. Advantageously, the size of the red jacket determined by the retailer in the product offer is the size that would most likely fit the user in view of the user's profile. In addition, the red jacket is advantageously within a particular price range, color, and/or style of jacket preferred by the user as indicated in the user's consumer preferences retrieved from computer system 10 or by a request from the user retrieved from computer system 10. Moreover, the footwear offering of size 9 black shoes for \$30.00 is preferably the size needed by the user and the black shoes are preferably within a particular price range, color and/or style preferred by the user as indicated in the user's consumer preferences retrieved from computer system 10.

In addition, in the examples, a service offering of a shoe shine is provided for \$5.00 per shoe. The offering of the shoe shine is preferably in response to a user request for a shoe shine service or an indicator in the user's consumer preferences that a shoe shine service is preferred as retrieved from computer system 10.

In the example of the XML data format as the common transmittable data format, a data validation file such as a document type definition (DTD) or schema is preferably utilized to validate XML data files. In addition, a schema preferably translates multiple XML data files. Moreover, a style sheet such as an extensible stylesheet language (XSL) file is preferably utilized to provide a style specification for the XML data at the receiving

system. In particular, DTDs, schemas, and XSL files may be, for example, transmitted with an XML data file to a receiving system or downloaded at the receiving system from an alternate source. In the present example, the
5 DTD or schema would verify that all the data required for a specialized product offering is included in the XML data file.

Portable computer system **10** may broadcast data in
10 the common transmittable data format, including consumer preferences and a user profile, to server systems **80a-80** and alternate computer systems **39a-39n** via a transceiver or other broadcasting medium. In broadcasting data, server systems **80a-80n** and alternate computer systems
15 **39a-39n** may determine the location of portable computer system **10** according the data signal received at transmission receivers, such as transmission transceivers **38a-38n**.

In particular, according to the communication medium
20 utilized, portable computer system **10** may be within a particular proximity of server systems **80a-80n** or may be remotely located to server systems **80a-80n**. For example, if the communication medium is a wireless Internet
25 connection, server systems **80a-80n** may remotely receive a broadcast from portable computer system **10**. Alternatively, if the communication medium is an RF transmission, server systems **80-80n** may receive a broadcast from portable computer system **10** when portable
30 computer system **10** is within a particular proximity of

transmission transceivers **38a-38n** of server systems **80a-80n**.

5 Transmission transceivers **38a-38n** may provide multiple ranges of reception of data transmissions from portable computer system **10** and may be locally or remotely accessible to server systems **80a-80n**. In addition, transmission transceivers **38a-38n** may provide multiple ranges of data transmissions from server systems **80a-80n**. In an example, a store in a mall in Texas may include transmission transceivers **38a-38n** that detect a data broadcast from portable computer system **10** when in a particular proximity of the store. The transmission transceivers **38a-38n** transmit the broadcast data to a remote server system in California. The remote server system determines a product and/or service offering and transmits the product and/or service offering back to transmission transceivers **38a-38n** that then transmit the offering to computer system **10**.

20 In addition, portable computer system **10** may selectively transmit data to server systems **80a-80n** and alternate computer systems **39a-39n**. In selectively transmitting data portable computer system **10** may, for example, direct data transmissions to a particular IP address or addresses, establish a secure connection with selected servers or encrypt broadcasted data utilizing an encryption technique, such as the double blind encryption technique. For example, portable computer system **10** for a user located in Texas may selectively transmit user preferences to a particular store server system via a

wireless Internet connection where the server system is located in California.

Moreover, server systems **80a-80n** may broadcast data in a common transmittable data format whereby portable computer system **10** passively receives the data and then selects whether to transmit data in return. For example, as a user enters an airport, the airport server system is actively broadcasting data that is detected by computer system **10** within a particular proximity. In another example, as a user is walking through a mall, Internet addresses from various retailers within the mall may be broadcast from the retailers' server systems to portable computer system **10**.

Portable computer system **10** may include a global positioning system (GPS) **33** that passively receives the position of portable computer system **10**. Thereby, the location of portable computer system **10** as received at global positioning system **33** may be converted into the data transmission data format and transmitted with user preferences, for example, to server systems **80a-80n**.

In addition, portable computer system **10** preferably includes at least one input interface **36** and at least one output interface **37**. Input interface **36** may include multiple types of input interfaces including, but not limited to, a keyboard, a keypad, a vocal recognition device, a touchpad, a mouse, a tactile-detectable device, etc. Output interface **37** may include multiple types of output interfaces including, but not limited to, a

graphical display monitor, a printer, a data storage medium, a audio speaker, etc. In particular, computer system **10** may control multiple output interfaces where different output interfaces have different audiences and purposes, as will be further described.

Server systems **80a-80n** advantageously represent diverse independent retailers or consumer providers that are enabled to independently gather data from portable computer system **10**. However, server systems **80a-80n** may also communicate with each other via a network connection, such as the Internet. Moreover, each of server systems **80a-80n** may include multiple servers connected via a network or data link with access to multiple data storage media.

Independent retailers or consumer providers associated with server systems **80a-80n** preferably include multiple types of diverse businesses that provide products and services to consumers. Included in the scope of consumer providers are non-profit organizations that may provide products and services for no charge and for profit organizations that provide products and services for a charge. In addition, included in the scope of consumer providers are individuals with expertise in a particular area or areas. For example, an attorney with expertise in intellectual property may be associated with server systems **80a-80n**.

Alternate computer systems **39a-39n** advantageously include user preferences for multiple alternate users

that can be transmitted to portable computer system **10** in a common transmittable data format. In addition, user preferences stored at portable computer system **10** may be transmitted to alternate computer systems **39a-39n** in a common transmittable data format. In an example, a user at a meeting of colleagues may broadcast preferences to learn more about a new emerging technology from portable computer system **10**. Alternate computer system **39a-39n** of other colleagues at the meeting would receive the broadcast preferences, such that a colleague with expertise about the emerging technology may be located.

Referring now to **Figure 3**, there is depicted a block diagram of an electronic consumer preference management system in accordance with the method, system, and program of the present invention. Server system **80** preferably supports electronic business for a particular retailer or consumer provider. In the present example, server system **80** includes electronic business related data, services and applications stored in a data storage medium **82** including a products and services database **84**, an advertising database **86**, a customer registration and purchase history database **88**, a product and service specifier application (PSA) **90**, an output controller **92**, a transmission controller **94**, and a current customer database **96**. The databases are preferably data storage structures that hold multiple entries and may be searched and/or filtered according to particular criteria. In addition, the data stored in the databases is preferably easily convertible into an XML data file and may be

stored as such. In addition, in an alternate embodiment, alternate types of data may be stored in data storage medium **82**. Moreover, in an alternate embodiment, additional services and applications may be stored in data storage medium **82**.

Server system **80** controls exchange of data to and from multiple portable computer system such as portable computer system **10** via transmission controller **94**. In particular, transmission controller **94** establishes a connection via the communication medium with portable computer system **10** whereby the current location of portable computer system **10** and customer preferences and profile stored therein may be transmitted to server system **80**. The current customer location may be continuously updated in current customer database **96** if the customer chooses to continuously broadcast. In addition, transmission controller **94** preferably supports data exchange in a common transmission data format, and in particular in the XML data transmission data format.

Server system **80** also controls output of data to multiple diverse output interfaces **98a-98n** via output controller **92**. Output controller **92** may control transmission of data to multiple diverse output interfaces **98a-98n** via a wired or wireless communication medium. The diverse output interfaces may include, but are not limited to, output interfaces within a store for advertising, output interfaces within a store for displaying data to employees only, output interfaces within a shopping arena, and output interfaces along a

road-side. Output interfaces **98a-98n** may include multiple diverse types of output devices including, but not limited to, flat-screen monitors, LCD graphical displays, electronic paper displays, electronic billboard displays, tactile-detectable displays, audio speakers, printers, and other forms of electronic media output devices.

Products and services database **84** preferable includes multiple diverse products and/or services provided by a retailer or consumer provider. The products and services may include, for example, multiple types of descriptors, prices and conditions. For example, a women's formal dress store may include a database of available dresses, with a description of the maker, dress style and color, pictures of the dress, sizes available and price. In addition, for each available dress, a list of the events for which the dress has already been purchased may be stored. In addition, the database may include service records such as schedules of consultants within the dress store and their availability for a consultation reservation. Moreover, the database may include a listing and pictures of an expected shipment of dresses that are viewable on the condition that a customer has made previous purchases at the store.

Advertising database **86** preferably includes multiple electronic advertisements including graphical rendering, audio and video. For example, the women's formal dress store may include a video commercial of a new line of dresses for petite women. In addition, the formal dress

store may include graphical advertising for their consulting services including audio of the consultants describing their services. The electronic advertisements stored in advertising database **86** may be stored according to multiple searchable keywords. In addition, the advertisements stored in advertising database **86** may be stored in a compressed file that is transferable to portable computer system **10**.

Customer registration and history database **88** preferably includes registration data for multiple users and any purchase history as a registered customer. Advantageously, customer registration data is received from portable computer system **10** as consumer preferences and profile in an XML data format with a schema that is utilized for validating and translating the XML data file. In particular, the XML data and schema may be transmitted from portable computer system **10** at a store location or via the Internet to a retailer's web site. Server system **80** may fill in an electronic registration form for the user from the user profile XML data file as depicted below.

```
<TimeStamp>888965153</TimeStamp>
<UserID>JANEXYZ</UserID>
<Address>102 Pickwick</Address>
<City>Austin</City>
<State>Texas<State>
<ZipCode>78746</ZipCode>
<ClothingPref>assistant with dress
shopping</ClothingPref>
```

<ClothingPref>emerald blue</ClothingPref>

5 The electronic form is filled in by matching elements from the XML data file depicted above with elements of the electronic registration form. For example, the elements of the electronic registration form at a particular server system may include <UserID>, <ZipCode> and <ClothingPref> where only those data elements are transferred from the XML data file into the electronic registration form. After registration, a registration indicator, such as a cookie, may be transmitted from the server system to portable computer system 10.

5 The example of an XML data file comprising a user profile and consumer preferences as depicted above is intended as an example of elements that might be included in a user profile and consumer preferences. The customer registration may also include, but is not limited to including, personal data, shopping preferences, current products owned and current services utilized. In addition, for each customer purchase a history of the date, time, place, sales person, price paid, etc. associated with the purchase is preferably recorded in customer registration and history database 88.

25 Advantageously, via the method, system, and program of the present invention, a user may be registered at a particular server system for a particular retailer and the data is preferably accessible via a network of servers at the web site for the retailer and at any of the store or service locations of the retailer. And, in particular, a user may be automatically registered at

30

multiple diverse retailer server systems without the user being required to re-enter redundant data to each server system. Moreover, it is important to note that the user may be automatically registered at multiple diverse retailer server systems via transmittal of registration data from the user's personal portable computer system as they enter a store location or at an Internet web site location.

PSA **90** preferably analyzes a customer's preferences when the customer is detected locally or remotely. First, PSA **90** may determine an offering of selections of products and services from among products and services database **84** that meet the user's preferences as currently stored in current customer database **96**. In addition, the selection of products and services from among products and services database **84** may be further specified according to the user's purchase history. For example, if a customer at the women's formal dress shop typically purchases a necklace with each dress purchase, then necklace and dress pairings may be specified for the user. The selection of specified products and services may include photo, video and audio clippings in addition to descriptions and prices. Transmission controller **94** preferably controls secure transmission of the selection of specified products and services to the user's portable computer system **10**.

In one embodiment of the present invention, the offering of products and services may be transmitted to portable computer system **10** in the XML data format

including a schema for defining the types of data and an XSL stylesheet for defining how the data should be graphically displayed. Portable computer system **10** preferably includes a graphical output controller that verifies and translates the XML data according to the schema and XSL style sheet. In addition, the specified products and services may include electronic coupons and rebates for use when purchasing the products or services at the venue or on-line. For example, a user may receive an electronic coupon when visiting a retailer's store that can be redeemed at the store or on-line.

In addition to descriptions of products and services, data that is typically included on a business card or company description may be transmitted to portable computer system **10**. For example, if a user enters an insurance agency, the server system for the insurance agency preferably receives a user profile from portable computer system **10** and transmits electronic business card XML data files for the office employees to portable computer system **10**. Thereby, the user receives an electronic copy of the office employees personal data, such as data typically included on a business card, in an XML data file that can be selectively added to an address book by matching elements of the XML data file with elements of the address book.

A second function of PSA **90** is determining service and product recommendations to a retailer staff. Service and product recommendation to a retailer staff may be determined from the customer's preferences, location,

registration, previous purchases, the store's customer service policy and available products and services. For example, if a user enters the store whose customer preference indicate that the user appreciates staff assistance, that the user is shopping for a new bed, and that the user prefers dark woods, a staff person would be provided with a list of possible products from PSA 90 and a profile about the user that will assist the staff person in approaching the customer. In another example, a user's preferences may indicate that the user does not need help from a salesperson, for example when shopping for furniture. PSA 90 might determine that a staff person should greet the customer and only offer assistance if requested. Output controller 92 preferably controls distribution of service and product recommendations to output interface(s) that are accessible only by staff.

Service and product recommendations may be stored by customer and according to the staff person(s) who view the service and product recommendations to determine if the staff person(s) followed through on the recommendations and the response by the customer. In addition, an electronic customer satisfaction form may be transmitted to a user after exiting a store whereby the user may electronically indicate satisfaction with service. By monitoring service and product and recommendations and customer responses, business analysis of a store's productivity due to factors such as the effectiveness of different models of consumer assistance, may be more easily determined.

A third function of PSA **90** is determining which advertising selections from advertising database **86** to display in a store, in an open arena, on the road-side and on-line. Advertising selections are preferably determined by PSA **90** according to customer preferences in current customer database **96** and the type of output interface. Further, advertising selections may be filtered according to the specialized listing of products and services that are determined by PSA **90** and offered to the customer on via the user's portable computer system **10**. Moreover, additional criteria, such as current sales, may be utilized to filter advertising selections for advertising database **86**. For example, typically there is more than one customer in a store. Therefore, PSA **90** would select advertising selections according to multiple customer preferences. In selecting advertising selections according to multiple customer preferences, criteria such as customer preferences for the majority of customers, customer preferences for frequency shoppers, customer preferences for users who have been in the store for a certain period of time, etc. may be utilized to filter advertising selection.

The advertising selections determined by PSA **90** are preferably output to multiple output interfaces **98a-98n** as controlled by output controller **92**. Output controller **92** may control transmission of the advertising selections via a communication medium that includes wired and wireless connections. In an example, a teenage clothing store may include display monitors around a mall that are adjusted according to the detected customer preferences

of teenagers near the display monitors. As a teenager enters the store, display monitors at the front of the store may adjust to advertising specific for that teenager's preferences. For example, if that teenager likes to wear all pink and black, current clothing stock in pink and black would be displayed. Other display monitors around the store would display advertising that fits a majority of the customer's preferences in the store. For example, if the majority of shoppers are men, then more male oriented advertising might be displayed. When a teenager enters a fitting room, a display monitor may show a video advertisement and play music that is specific to the teenager's preferences. Moreover, a small display monitor at the cash register might show an advertisement for a small item that is located near the register according to purchases being made by the teenager.

Portable computer system **10** preferably includes multiple preferences recorded in a single database or multiple databases and applications stored in a data storage medium **40**. In the present example data storage medium **40** is depicted as internally accessible to portable computer system **10**, however in alternate embodiments, data storage medium **40** may be accessible externally or remotely.

In the example depicted, customer preferences include clothing preferences **42**, food preferences **44**, exercise preferences **46**, travel preferences **48**, reading preferences **50**, entertainment preferences **52**, decorating

preferences **54**, and gift preferences **56**. Included in the customer preferences may be a shopping list of items to find, budget preferences, location preferences, content preferences, customer service preferences, etc. For example, clothing preferences **42** may include preferred manufacturers, sizes, colors, clothing types for upcoming events, budget constraints, etc. while reading preferences **50** include a list of books to purchase, preferred types of literature, authors, current readings, etc. In additional examples, food preferences **44** may include preferences such as the type of table that a user likes to sit at (i.e. outdoor/indoor, in a corner/away from a corner, smoking/nonsmoking, etc.) and exercise preferences **46** include preferences for a massage afterwards within a particular travel distance of the gym and the training, length of sessions, and sex of the massage therapist may also be indicated.

While these preferences represent many of the consumer preferences that may be designated by a user at portable computer system **10**, the consumer preferences depicted are intended to illustrate possible preferences and do not limit the types of consumer preferences which may be stored on data storage medium **40**. Moreover, the preferences may be stored in multiple types of formats and may be compiled and sorted according to multiple criteria. For example, a list of items to find at a particular shopping center may be sorted.

In addition, preferences are preferably storable on portable computer system **10** for other people or clients.

Moreover, consumer preferences are preferably transmittable from one portable computer system to another portable computer system. For example, a decorator may include a list of decorating preferences for multiple clients within decorating preferences **54** of the decorator's portable computer system, where the decorating preferences for multiple clients are transmitted from the client's portable computer system to the decorator's portable computer system. In another example, a parent may include a list of children's clothing preferences in clothing preferences **42** of the parent's portable computer system.

In addition, to including preferences on portable computer system **10**, the user's schedule **58** and user profile **60** are preferably included. The user's schedule **58** preferably includes an electronic calendar of events, appointments and tasks. User profile **60** preferably includes personal data about the user such as name, sex home data, work data, payment account information, marital status, primary language, children, etc. In addition, user profile **60** may include encrypted registration ID's for various retailers as a result of the user registering with the retailer that can be easily decrypted by the retailer's server system. Moreover, user profile **60** may include cookies from registration with multiple retailers.

Moreover, portable computer system **10** includes global positioning functions **72**. Advantageously, portable computer system **10** includes GPS **33** that detects

and transmits the position of portable computer system **10** and may passively receive additional information about surroundings including traffic, descriptions of stores and offices, etc. according to location. The position of portable computer system **10** and surrounding are preferably utilized by global positioning functions **72** to provide maps of the current location with directions to stores and offices, routes to avoid traffic, etc.

Portable computer system **10** includes a preference coordinator application **70** that coordinates the consumer preferences, schedule **58**, user profile **60**, global positioning functions **72** and other data stored on portable computer system **10** with transmission controller **64**. For example, a user may select by preference coordinator application **70** to broadcast preferences and location in the transmittable data format via transmission controller **64** to any retailer server system, such as server system **80**, that is able to detect the user's physical presence within a particular proximity according to the user's scheduled travel time. In another example, a user may select by preference coordinator application **70** to transmit location and preferences to a particular server system or group of server systems that are able to detect the user's physical presence within a particular proximity. In yet another example, preference coordinator application **70** coordinates transmittal of a request by a user for a restaurant that provides a particular type of wine according to a user's preference. Preference coordinator application **70** broadcasts the preferences to restaurants

that are able to detect the user's physical presence within a particular proximity and to restaurants with web pages accessible via the Internet that include wine listings. Thereby, a bot application is simulated where requests for a particular wine are transmitted locally and remotely.

Moreover, preference coordinator application **70** analyzes the consumer preferences, schedule **58**, user profile **60** and location to provide the user with recommended shopping venues. In particular, preference coordinator application **70** preferably has access to a map and position via global positioning functions **72** such that the user's current location in comparison with retailers and other offices can be determined. Preference coordinator application **70** processes the selections of products and services received from various retailers in accordance with the location, expected travel time, schedule and other data to provide a recommendation of stores with directions and estimated travel time. For example, if a user's food preferences **44** include a grocery list that includes speciality Asian cooking products and two Asian grocery stores within a particular area transmit a selection of products including the specialty Asian cooking products, preference coordinator application **70** would analyze the prices offered by each grocery store and the travel time in comparison with whether time or money is a larger constraint for the user to recommend one of the two Asian grocery stores.

In addition, portable computer system **10** includes a preference filter application **62** and filtering preferences **68**. Preference filter application **62** filters data prior to transmittable from and data received at portable computer system **10** according to filtering preferences **68**. Filtering preferences **68** indicate which data should be filtered from transmittal and receipt according to multiple types of criteria. For example, certain types of data to be transmitted to a server system that does not include a secure data transmission may be filtered according to filtering preferences **68**. In addition, data to be transmitted to a server system for a particular type of retailer may be filtered according to filtering preferences **68**. Moreover, data received at portable computer system **10** from, for example, a grouping of restaurants may be filtered according to preferences set in filtering preferences **68** in order to prevent products and services spamming.

Preferably, portable computer system **10** receives requests from server system **80** to register with a retailer. Preference coordinator application may be set to automatically return a request for registration with user profile **60** and the consumer preferences. Alternatively, a user may select particular filtering preferences **68** to be applied to user profile **60** and the consumer preferences by preference filter application **62** prior to enabling transmission of the data for electronic registration with the retailer. By registering with a retailer, a user can quickly make electronic purchases with the retailer via portable computer system **10** and may

be registered to received special electronic product and service offers and other special offerings.

5 In addition, a user may select to electronically purchase a product or service that is transmitted to portable computer system **10** from retailer server system **80**. The user may select to have the product or service delivered to the user or the user may opt to receive the product or service at a store front. For example, a user
10 may select to purchase a birthday gift from a local store via the selection of products and services received at portable computer system **10** for that store. If the user is already registered with the retailer, preference coordinator application **70** would direct transmission controller **64** to transmit a request for the product along
15 with payment authorization. In addition, the request for a product may include a wrapping paper selection. Remote server system **80** would receive the product request with the wrapping paper selection and direct the request to the gift wrapping department. If the user is going to
20 pick up the purchase, an estimated time until ready may be transmitted from server system **80** to portable computer system **10**. In this manner, a user remotely order products and services from a store via portable computer
25 system **10**.

While the present invention may be applied to any server system **80** in communication with a portable computer system **10**, multiple examples are provided in
30 order to further describe the functions of the present invention. In an example of the present invention, a

user includes ski preferences on portable computer system
10 that include the brand of skis, length of skis, size
of boots, types of slopes, etc. A server system for a
ski rental store would retrieve the user's preferences in
5 the transmittable data format and provide the user with a
selection of ski rental recommendations according to the
user's preferences. In addition, if the user prefers
snowboards over skis, the display monitors in the store
that are accessible to the user may show advertising
10 focused on snowboarding apparel and accessories provided
at the store. Once the user reaches a ski resort, the
server system for the ski resort would retrieve the
user's ski preferences in the transmittable data format
and provide a map of recommended runs and lifts required
15 to get to the runs. In addition, the ski resort server
system may retrieve the user's ski instructor preferences
that designate preferences for an instructor that can
speak Spanish and is male. The ski resort server system
would determine ski instructors that match the user's
20 preferences and return a schedule of course to select
from that the instructor teaches. In addition, the ski
resort server system might retrieve the user's food
preferences 44 and recommend restaurants on the slopes
that meet the user's food preferences. Moreover, the ski
25 resort server system might retrieve the user's
entertainment preferences 52 and provide an advertisement
for a band playing that evening at the base that meets
the user's entertainment preferences. In addition, a
user may purchase an electronic ski lift ticket from the
30 ski resort server system via their portable computer
system, where the electronic ticket is stored on the
portable computer system and detectable at a ski lift to

allow entrance to the lift. In purchasing a ticket, the user preferable registers with the ski resort server system and may provide data from user profile **60** including health insurance, medications and known health problems such that if any injury should occur to the user the ski resort personnel would better assist the user.

In another example, under entertainment preferences, a user may store seating preferences and budget preferences for entertainment. Rather than standing in line to purchase a ticket for a performance, a user accesses a web site where the tickets may be purchased. The user's seating preferences and/or budget preferences and number of tickets needed are transmitted from portable computer system **10** to the server system for the web site where a selection of available seats is determined and transmitted back to portable computer system **10**. The user may then select seating and automatically transmit filtered user profile data **60**, including form of payment, to the server system. The server system would record the purchase of the tickets and preferably transmit an electronic ticket to portable computer system **10**. Upon arriving at a theater, the theater server system would detect and verify the electronic ticket from portable computer system **10** and transmit a map of the theater seating with directions to the user's seating back to portable computer system **10**. In addition, the user may indicate in user profile data **60** that assistance is needed by the user when being seated in a theater. When the theater server system

detects the user, the theater server system would recommend that an usher be provided to the user.

5 In yet another example, a user includes display preferences on their portable computer system **10**. The display preferences might include preferences such as viewing textual data in a large font or in color blind accessible colorings. In an example, a user may transmit their ATM number, transaction amount and display
10 preferences to an ATM machine via portable computer system **10**. The ATM machine would adjust the textual display according the user's preferences and perform the requested functions.

15 In yet another example of the present invention, a restaurant may include a server system that detects user food preferences from a portable computer system including smoking preferences, drink preferences, appetizer preferences, entree preferences, dessert preferences, seating preferences, decorative preferences,
20 etc. In addition, the restaurant server system includes a reservation list and estimated waiting times. Upon receiving a user's food preferences, the restaurant server system may determine and transmit to the user's portable computer system the next available reservation
25 slot or the wait for seating according to the user's smoking preferences and seating preferences. In addition, the restaurant food server may determine and transmit a selection of food menu items, including a featured wine, that meet the drink and entree
30 preferences. The user may select to be placed on the reservation or waiting list and may designate that the

featured wine should be served at the user's table when seated. Thereby, the restaurant server system would prompt a host or waiter to server the featured wine when seating the user.

5

10

15

20

25

30

It is important to note that the level of analysis, functions and services provided by server system **80** is determined by the retailer and therefore retailer server systems and output interfaces may be updated without updating portable computer system **10**. For example, a server system may upgrade detectors to increase the range of detection of signals from portable computer systems. In addition, it is important to note that portable computer system **10** is customizable and upgradable according to user preferences. For example, a user may select a smaller portable computer system **10** with a text-only display or with a graphics capable display.

With reference now to **Figure 4**, there is depicted a high level logic flowchart of a process and program for controlling a retailer server system in accordance with the method, system, and program of the present invention. As illustrated, the process starts at block **100** and thereafter proceeds to block **102**. Block **102** depicts a determination as to whether or not the location, preferences and/or user profile are received from a portable computer system for a user. If the location, preferences and/or user profile are not received, then the process iterates at block **102**. If the location, preferences and/or user profile is received, then the process passes to block **104**. Block **104** illustrates

storing the location and preferences in the current customer position database. Next, block **106** depicts looking up the user profile in the customer registration and history database. Thereafter, block **108** illustrates a determination as to whether or not the customer is registered. If the customer is registered, then the process passes to block **118**. If the customer is not registered, then the process passes to block **110**.

Block **110** depicts transmitting a registration request to the user. Next, block **112** illustrates a determination as to whether or not the user responds with a request for registration. If the user does not respond with a request for registration, then the process passes to block **118**, unless the user must be a registered user in order to obtain data from the server system and then the process would end. If the user responds with a request for registration, then the process passes to block **114**. Block **114** depicts automatically filling in an electronic form with the data from the user profile and storing the electronic form in the customer registration and history database. Next, block **116** illustrates transmitting registration data for the user to the user's portable computer system and the process passes to block **118**. In particular, an encrypted login name and password may be transmitted as registration data, or alternatively a number or other identifier that represents the user.

Block **118** depicts designating a selection of products and/or services from the products and services database according to customer preferences and any

registration and history data. Next, block **120** illustrates transmitting the selection of products and/or services for the user to the user's portable computer system. Thereafter, block **122** depicts designating a selection of advertisements from the advertising database according to customer preferences and location. Next, block **124** illustrates controlling output of the selection of advertisements to multiple output interfaces. Block **126** depicts designating instructions to the store staff according to customer preferences, location and history. Thereafter, block **128** illustrates controlling output of the instructions to output interfaces accessible to the store staff and the process passes to block **130**.

Block **130** depicts a determination as to whether or not a request for a selection of offered products and services is received from the user. If a request for a selection of offered products and services is not received, then the process ends. If a request for a selection of offered products and services is received, then the process passes to block **132**. Block **132** illustrates a determination as to whether or not payment authorization is received if needed. If payment authorization is not received, then the process passes to block **136**. Block **136** depicts transmitting an error message and the process ends. If payment authorization is received, then the process passes to block **134**. Block **134** illustrates a determination as to whether or not the payment is verified. If the payment is not verified, then the process passes to block **136**. If the payment is verified, then the process passes to block **138**. Block

138 depicts adding the selected purchases to the user's history. Next, block 140 illustrates directing the requested order to the appropriate output interface. For example, if the requested order needs to be assembled, then the requested order is output to an output interface accessible to workers who perform assembly. Thereafter, block 142 depicts transmitting an electronic purchase indicator to the user's portable computer system and the process ends.

Referring now to **Figure 5**, there is illustrated a high level logic flowchart of a process and program for controlling a portable computer system in accordance with the method, system, and program of the present invention. As depicted, the process starts at block 150 and thereafter proceeds to block 152. Block 152 illustrates a determination as to whether or not a request to broadcast the location, filtered preferences, and/or filtered user profile data is received. If a request to broadcast is received, then the process passes to block 154. Block 154 depicts broadcasting the location, filtered preferences, and/or filtered user profile data to all server systems able to detect the broadcast signal within a particular proximity and the process passes to block 162. If a request to broadcast is not received, then the process passes to block 156. Block 156 illustrates a determination as to whether or not a request to selectively transmit location, filtered preferences, and filtered user profile data is received. If a request to selectively transmit is not received, then the process passes to block 152. If a request to

selectively transmit is received, then the process passes to block **158**. Block **158** depicts locating a selected server system. Next, block **160** illustrates transmitting the location, filtered preferences, and/or filtered user profile data to the selected server system and the process passes to block **162**.

Block **162** illustrates a determination as to whether or not a registration prompt is received. If a registration prompt is not received, then the process passes to block **163**. If a registration prompt is received, then the process passes to block **164**. Block **164** depicts a determination as to whether or not a request to register is received from the user. If a request to register is not received, then the process passes to block **166**. Block **166** illustrates transmitting a request to not register to a requesting server system and the process passes to block **163**. If a request to register is received, then the process passes to block **168**. Block **168** depicts transmitting a request for registration and required user profile data to the requesting server system. Next, block **170** illustrates a determination as to whether or not registration data is received from the requesting server system. If registration data is not received, then the process iterates at block **170** for a set time period. If registration data is received, then the process passes to block **172**. Block **172** depicts storing the registration data at the portable computer system and the process passes to block **163**.

Block **163** depicts a determination as to whether or not a selection of products and/or services is received. If a selection is not received, the process iterates at block **163**. If a selection is received, then the process passes to block **165**. Block **165** illustrates filtering output of the selection of products and/or services according to the user's filtering preferences. Next, block **174** depicts a determination as to whether or not a user selection of products and/or services from the selection of products and/or services provided by a particular server system is received. If a user selection of products and/or services is not received, then the process ends. If a user selection of products and/or services is received, then the process passes to block **176**. Block **176** illustrates transmitting the selection of products and/or services to the providing server system. Next, block **178** depicts transmitting payment authorization for the user selection of products and/or services to the providing server system. Thereafter, block **180** illustrates a determination as to whether or not a purchase indicator is received. If a purchase indicator is not received, then the process iterates at block **180**. If a purchase indicator is received, then the process passes to block **182**. Block **182** depicts storing the purchase indicator at the portable computer system and the process ends.

With reference now to **Figure 6**, there is depicted a pictorial diagram of multiple output interfaces controlled via a retailer server system in accordance with the method, system, and program of the present

invention. As depicted, a movie theater server **250** includes a products and services database that includes multiple movie selections that are preferably sortable by actor, actress, type, rating, review, sound byte, etc and multiple food selections that are preferably sortable by type and cost. Portable computer system **10** includes entertainment preferences for movies as illustrated at reference numeral **264**. In the example, the user prefers the actors Jim Carrey, Kevin Bacon, and Kevin Spacey the actresses Annette Bening and Meg Ryan and movies that are classified as comedy and action. Preferably, the user's entertainment preferences are transmitted to movie theater server system **250** where movie theater server system **250** compares the user's entertainment preferences with the multiple movie selection and determines a selection of recommended movies. The selection of recommended movies is preferably transmitted to portable computer system **10** in a transmittable data format. The selection of recommended movies is displayed in a built-in display monitor **262**. As depicted at reference numeral **263**, one movie is recommended to the user. "Movie title A" includes two of the user's preferred actors and is an action film. The user may select to read a review, as indicated at reference numeral **266**, hear a sound byte as indicated at reference numeral **268** or purchase tickets electronically as indicated at reference numeral **270**.

In addition, portable computer system **10** includes food preferences for entertainment food as depicted at reference numeral **265**. In the example, the user prefers candies including M&Ms® and Milk Duds®, root beer drink,

and ice cream including chocolate and strawberries, but not ice cream bars. In addition, a food budget for entertainment food of \$4.00 is designated. Preferably, the user's food preferences are transmitted to movie theater server system **250** where movie theater server system **250** compares the user's food preferences with the multiple food selections and determines a selection of recommended food treats. The selection of recommended food treats is preferably transmitted to portable computer system **10** is a transmittable data format. In addition, icons and other graphical representations may be included in the data formatting for display. The selection of recommended food treats is displayed in built-in display monitor **262** as illustrated at reference numeral **263**. In the example, a user may select from M&Ms® and a small root beer or Milk Duds® and a medium root beer. In addition, an M&Ms® icon is depicted as indicated at reference numeral **272** and a root beer icon is illustrated as indicated at reference numeral **276**. Moreover, a user may select to electronically place an order by selecting graphical icon **274**.

Prior to the movie start, multiple large display screens **252**, **254**, **256**, **258** and **260** along a corridor with the movie theater may display advertising for current and upcoming movie releases or advertising for food treats. In the present example, movie theater server system **250** preferably coordinates the advertising displayed on display screens **252** and **258** according to the movie type of a movie that will begin showing in the next ten minutes. If an action movie will be shown in the next

ten minutes in a theater adjacent to the corridor with display screens **252** and **258**, then advertising for upcoming action movies is preferably displayed as indicated in the example. Movie theater server system **250** preferably coordinates the advertising displayed on display screens **254** and **256** with movies containing the actors and actresses preferred by users within the corridor. When the user with entertainment preferences **264** is detected in the corridor of the movie theater, display screens **254** and **256** are preferably controlled by movie server system **250** to display advertisements for upcoming movies with Jim Carey and Annette Bening, for example. Moreover, movie theater server system **250** preferably coordinates the advertising displayed on display screen **260** with the food preferences of users within the corridor. When the user with user food preferences **265** is detected in the corridor of the movie theater, display screen **260** is preferably controlled by movie server system **250** to display an advertisement, for example, of a new ice cream treat for \$5.00.

It is important to note that, although the present invention has been described in the context of a fully functional computer system, those skilled in the art will appreciate that the mechanisms of the present invention are capable of being distributed as a program product in a variety of forms, and that the present invention applies equally regardless of the particular type of signal-bearing media utilized to actually carry out the distribution. Examples of signal-bearing media include, but are not limited to, recordable-type media such as

floppy disks or CD-ROMs and transmission-type media such as analogue or digital communications links.

5 While the invention has been particularly shown and described with reference to a preferred embodiment, it will be understood by those skilled in the art that various changes in form and detail may be made therein without departing from the spirit and scope of the invention.

CLAIMS:

What is claimed is:

1 1. A method for electronically managing consumer
2 preferences, said method comprising the steps of:

3
4 transmitting consumer preferences for a particular
5 user from a portable data processing system associated
6 with said particular user in a transmittable data format
7 to a plurality of independent server systems each
8 associated with a particular consumer provider from among
9 a plurality of consumer providers; and

10 receiving designated offerings of services and
11 products in accordance with said consumer preferences
12 from said plurality of independent server systems at said
13 portable data processing system in said transmittable
14 data format.

1 2. The method for electronically managing consumer
2 preferences according to claim 1, said method further
3 comprising the step of:

4 filtering output of said designated offerings of
5 services and products at an output interface associated
6 with said portable data processing system according to
7 user output filtering preferences, such that said
8 particular user receives a filtered selection of said
9 electronically provided services and products via an

10 output interface associated with said portable data
11 processing system.

1 3. The method for electronically managing consumer
2 preferences according to claim 1, said step of
3 transmitting consumer preferences for a particular user
4 from a portable data processing system associated with
5 said particular user in a transmittable data format to a
6 plurality of independent server systems, further
7 comprising the steps of:

8 detecting the location of said portable data
9 processing system with a global positioning system
10 associated with said portable data processing system; and

11 transmitting said location of said portable data
12 processing system in said transmittable data format to
13 said plurality of independent server systems.

1 4. The method for electronically managing consumer
2 preferences according to claim 1, said step of
3 transmitting consumer preferences for a particular user
4 from a portable data processing system associated with
5 said particular user in a transmittable data format to a
6 plurality of independent server systems, further
7 comprising the step of:

8 transmitting a user profile with said consumer
9 preferences for a particular user from said portable data
10 processing system in said transmittable data format to a

11 particular server system from among said plurality of
12 independent server systems.

1 5. The method for electronically managing consumer
2 preferences according to claim 1, said step of
3 transmitting consumer preferences for a particular user
4 from a portable data processing system associated with
5 said particular user in a transmittable data format to a
6 plurality of independent server systems, further
7 comprising the step of:

8 filtering transmission of said consumer preferences
9 according to transmission preferences designated by said
10 particular user at said portable data processing system.

1 6. The method for electronically managing consumer
2 preferences according to claim 1, said step of
3 transmitting consumer preferences for a particular user
4 from a portable data processing system associated with
5 said particular user in a transmittable data format to a
6 plurality of independent server systems, further
7 comprising the step of:

8 converting said consumer preferences designated for
9 a particular user into said transmittable data format.

1 7. The method for electronically managing consumer
2 preferences according to claim 6, said step of converting
3 consumer preferences further comprising the step of:

4 converting said consumer preferences into an
5 extensible mark-up language data format.

1 8. The method for electronically managing consumer
2 preferences according to claim 1, said method further
3 comprising the step of:

4 analyzing said designated offerings of services and
5 products received from each of said plurality of
6 independent server systems at said portable data
7 processing system.

1 9. The method for electronically managing consumer
2 preferences according to claim 8, said step of analyzing
3 said designated offerings of services and products
4 further comprising the steps of:

5 analyzing said designated offerings of services and
6 products according to travel time to said venues for said
7 consumer providers in view of scheduling constraints for
8 said particular user; and

9 recommending a selection of said venues with travel
10 times that are acceptable in view of said scheduling
11 constraints for said particular user.

1 10. The method for electronically managing consumer
2 preferences according to claim 8, said step of analyzing

3 said designated offerings of services and products
4 further comprising the steps of:

5 analyzing said designated offerings of services and
6 products according to price and budget constraints for
7 said particular user; and

8 outputting a recommended selection of said
9 designated products and services that are acceptable in
10 view of said budgetary constraints to an output interface
11 controlled by said portable data processing system.

1 11. The method for electronically managing consumer
2 preferences according to claim 1, said method further
3 comprising the step of:

4 in response to a user selection from among said
5 designated products and services, transmitting said user
6 selection and payment authorization from said portable
7 data processing system to a particular server system from
8 among said plurality of independent server systems that
9 provides said selection from among said designated
10 offerings of services and products.

1 12. A system for electronically managing consumer
2 preferences, said system comprising:

3
4 means for transmitting consumer preferences for a
5 particular user from a portable data processing system
6 associated with said particular user in a transmittable
7 data format to a plurality of independent server systems
8 each associated with a particular consumer provider from
9 among a plurality of consumer providers; and

10 means for receiving designated offerings of services
11 and products in accordance with said consumer preferences
12 from said plurality of independent server systems at said
13 portable data processing system in said transmittable
14 data format.

1 13. The system for electronically managing consumer
2 preferences according to claim 1, said system further
3 comprising:

4 means for filtering output of said designated
5 offerings of services and products at an output interface
6 associated with said portable data processing system
7 according to user output filtering preferences, such that
8 said particular user receives a filtered selection of
9 said electronically provided services and products via an
10 output interface associated with said portable data
11 processing system.

1 14. The system for electronically managing consumer
2 preferences according to claim 1, said means for
3 transmitting consumer preferences for a particular user
4 from a portable data processing system associated with
5 said particular user in a transmittable data format to a
6 plurality of independent server systems, further
7 comprising:

8 means for detecting the location of said portable
9 data processing system with a global positioning system
10 associated with said portable data processing system; and

11 means for transmitting said location of said
12 portable data processing system in said transmittable
13 data format to said plurality of independent server
14 systems.

1 15. The system for electronically managing consumer
2 preferences according to claim 1, said means for
3 transmitting consumer preferences for a particular user
4 from a portable data processing system associated with
5 said particular user in a transmittable data format to a
6 plurality of independent server systems, further
7 comprising:

8 means for transmitting a user profile with said
9 consumer preferences for a particular user from said
10 portable data processing system in said transmittable
11 data format to a particular server system from among said
12 plurality of independent server systems.

1 16. The system for electronically managing consumer
2 preferences according to claim 1, said means for
3 transmitting consumer preferences for a particular user
4 from a portable data processing system associated with
5 said particular user in a transmittable data format to a
6 plurality of independent server systems, further
7 comprising:

8 means for filtering transmission of said consumer
9 preferences according to transmission preferences
10 designated by said particular user at said portable data
11 processing system.

1 17. The system for electronically managing consumer
2 preferences according to claim 1, said means for
3 transmitting consumer preferences for a particular user
4 from a portable data processing system associated with
5 said particular user in a transmittable data format to a
6 plurality of independent server systems, further
7 comprising:

8 means for converting said consumer preferences
9 designated for a particular user into said transmittable
10 data format.

1 18. The system for electronically managing consumer
2 preferences according to claim 17, said means for
3 converting consumer preferences further comprising

4 means for converting said consumer preferences into
5 an extensible mark-up language data format.

1 19. The system for electronically managing consumer
2 preferences according to claim 1, said system further
3 comprising:

4 means for analyzing said designated offerings of
5 services and products received from each of said
6 plurality of independent server systems at said portable
7 data processing system.

1 20. The system for electronically managing consumer
2 preferences according to claim 19, said means for
3 analyzing said designated offerings of services and
4 products further comprising:

5 means for analyzing said designated offerings of
6 services and products according to travel time to said
7 venues for said consumer providers in view of scheduling
8 constraints for said particular user; and

9 means for recommending a selection of said venues
10 with travel times that are acceptable in view of said
11 scheduling constraints for said particular user.

1 21. The system for electronically managing consumer
2 preferences according to claim 19, said means for

3 analyzing said designated offerings of services and
4 products further comprising:

5 means for analyzing said designated offerings of
6 services and products according to price and budget
7 constraints for said particular user; and

8 means for outputting a recommended selection of said
9 designated products and services that are acceptable in
10 view of said budgetary constraints to an output interface
11 controlled by said portable data processing system.

1 22. The system for electronically managing consumer
2 preferences according to claim 1, said system further
3 comprising:

4 means for transmitting said user selection and
5 payment authorization from said portable data processing
6 system to a particular server system from among said
7 plurality of independent server systems that provides
8 said selection from among said designated offerings of
9 services and products, in response to a user selection
10 from among said designated products and services.

1 23. A program for electronically managing consumer
2 preferences, residing on a computer usable medium having
3 computer readable program code means, said program
4 comprising:

5
6 means for transmitting consumer preferences for a
7 particular user from a portable data processing system
8 associated with said particular user in a transmittable
9 data format to a plurality of independent server systems
10 each associated with a particular consumer provider from
11 among a plurality of consumer providers; and

12 means for receiving designated offerings of services
13 and products in accordance with said consumer preferences
14 from said plurality of independent server systems at said
15 portable data processing system in said transmittable
16 data format.

1 24. The program for electronically managing consumer
2 preferences according to claim 23, said program further
3 comprising:

4 means for filtering output of said designated
5 offerings of services and products at an output interface
6 associated with said portable data processing system
7 according to user output filtering preferences, such that
8 said particular user receives a filtered selection of
9 said electronically provided services and products via an
10 output interface associated with said portable data
11 processing system.

1 25. The program for electronically managing consumer
2 preferences according to claim 23, said program further
3 comprising:

4 means for detecting the location of said portable
5 data processing system with a global positioning system
6 associated with said portable data processing system; and

7 means for transmitting said location of said
8 portable data processing system in said transmittable
9 data format to said plurality of independent server
10 systems.

1 26. The program for electronically managing consumer
2 preferences according to claim 23, said program further
3 comprising:

4 means for transmitting a user profile with said
5 consumer preferences for a particular user from said
6 portable data processing system in said transmittable
7 data format to a particular server system from among said
8 plurality of independent server systems.

1 27. The program for electronically managing consumer
2 preferences according to claim 23, said program further
3 comprising:

4 means for filtering transmission of said consumer
5 preferences according to transmission preferences

6 designated by said particular user at said portable data
7 processing system.

1 28. The program for electronically managing consumer
2 preferences according to claim 23, said program further
3 comprising:

4 means for converting said consumer preferences
5 designated for a particular user into said transmittable
6 data format.

1 29. The program for electronically managing consumer
2 preferences according to claim 28, said program further
3 comprising:

4 means for converting said consumer preferences into
5 an extensible mark-up language data format.

1 30. The program for electronically managing consumer
2 preferences according to claim 23, said program further
3 comprising:

4 means for analyzing said designated offerings of
5 services and products received from each of said
6 plurality of independent server systems at said portable
7 data processing system.

1 31. The program for electronically managing consumer
2 preferences according to claim 31, said program further
3 comprising:

4 means for analyzing said designated offerings of
5 services and products according to travel time to said
6 venues for said consumer providers in view of scheduling
7 constraints for said particular user; and

8 means for recommending a selection of said venues
9 with travel times that are acceptable in view of said
10 scheduling constraints for said particular user.

1 32. The program for electronically managing consumer
2 preferences according to claim 31, said program further
3 comprising:

4 means for analyzing said designated offerings of
5 services and products according to price and budget
6 constraints for said particular user; and

7 means for outputting a recommended selection of said
8 designated products and services that are acceptable in
9 view of said budgetary constraints to an output interface
10 controlled by said portable data processing system.

1 33. The program for electronically managing consumer
2 preferences according to claim 23, said program further
3 comprising:

means for transmitting said user selection and payment authorization from said portable data processing system to a particular server system from among said plurality of independent server systems that provides said selection from among said designated offerings of services and products, in response to a user selection from among said designated products and services.

1 34. A method for managing offerings by consumer
2 providers, said method comprising the step of:

3 receiving consumer preferences for a particular user
4 from a portable computer system in a particular
5 transmittable data format at a particular server system
6 from among a plurality of independent server systems,
7 wherein each of said plurality of independent server
8 systems respectively comprises a database of services and
9 products provided by a particular consumer provider from
10 among said plurality of consumer providers;

11 designating an offering of services and products for
12 said particular user at said particular server system, in
13 response to comparison of said consumer preferences with
14 said database of services and products at said particular
15 server system; and

16 transmitting said designated offering to said
17 portable computer system in said particular transmittable
18 data format.

1 35. The method for managing offerings by consumer
2 providers according to claim 34, said step of
3 transmitting said designated offering to said portable
4 computer system in said particular transmittable data
5 format further comprising the step of:

6 converting said designated services and products
7 into an extensible mark-up language data format.

1 36. The method for managing offerings by consumer
2 providers according to claim 34, said method further
3 comprising the steps of:

4 determining a selection of electronic advertising
5 associated with said designated products and services
6 from among a plurality of electronic advertisements
7 accessible at said particular server system;

8 controlling output of said selection of electronic
9 advertising from said particular server system to a
10 plurality of diverse output interfaces.

1 37. The method for managing offerings by consumer
2 providers according to claim 36, said method further
3 comprising the step of:

4 adjusting a selection of output interfaces which
5 receive a particular electronic advertisement according
6 to the detected location of said portable data processing
7 system associated with said particular user.

1 38. The method for managing offerings by consumer
2 providers according to claim 34, said method further
3 comprising the steps of:

4 determining a selection of service recommendations
5 for staff members of a particular consumer provider
6 associated with said designated products and services

controlling output of said selection of service
recommendations from said particular server system to a
plurality of diverse output interfaces that are
accessible to said staff members.

1 39. A system for managing offerings by consumer
2 providers, said system comprising:

3 means for receiving consumer preferences for a
4 particular user from a portable computer system in a
5 particular transmittable data format at a particular
6 server system from among a plurality of independent
7 server systems, wherein each of said plurality of
8 independent server systems respectively comprises a
9 database of services and products provided by a
10 particular consumer provider from among said plurality of
11 consumer providers;

12 means for designating an offering of services and
13 products for said particular user at said particular
14 server system, in response to comparison of said consumer
15 preferences with said database of services and products
16 at said particular server system; and

17 means for transmitting said designated offering to
18 said portable computer system in said particular
19 transmittable data format.

1 40. The system for managing offerings by consumer
2 providers according to claim 39, said means for
3 transmitting said designated offering to said portable
4 computer system in said particular transmittable data
5 format further comprising:

6 means for converting said designated services and
7 products into an extensible mark-up language data format.

1 41. The system for managing offerings by consumer
2 providers according to claim 39, said system further
3 comprising:

4 means for determining a selection of electronic
5 advertising associated with said designated products and
6 services from among a plurality of electronic
7 advertisements accessible at said particular server
8 system;

9 means for controlling output of said selection of
10 electronic advertising from said particular server system
11 to a plurality of diverse output interfaces.

1 42. The system for managing offerings by consumer
2 providers according to claim 41, said system further
3 comprising:

4 means for adjusting a selection of output interfaces
5 which receive a particular electronic advertisement
6 according to the detected location of said portable data
7 processing system associated with said particular user.

1 43. The system for managing offerings by consumer
2 providers according to claim 39, said system further
3 comprising:

4 means for determining a selection of service
5 recommendations for staff members of a particular
6 consumer provider associated with said designated

7 products and services selected for said particular user
8 at said particular server system; and

9 means for controlling output of said selection of
10 service recommendations from said particular server
11 system to a plurality of diverse output interfaces that
12 are accessible to said staff members.

13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218

1 44. A program for managing offerings by consumer
2 providers, residing on a computer usable medium having
3 computer readable program code means, said program
4 comprising:

5 means for receiving consumer preferences for a
6 particular user from a portable computer system in a
7 particular transmittable data format at a particular
8 server system from among a plurality of independent
9 server systems, wherein each of said plurality of
10 independent server systems respectively comprises a
11 database of services and products provided by a
12 particular consumer provider from among said plurality of
13 consumer providers;

14 means for designating an offering of services and
15 products for said particular user at said particular
16 server system, in response to comparison of said consumer
17 preferences with said database of services and products
18 at said particular server system; and

19 means for transmitting said designated offering to
20 said portable computer system in said particular
21 transmittable data format.

1 45. A method for automatically electronically
2 registering a user with a plurality of consumer
3 providers, said method comprising the steps of:

4 receiving at each of a plurality of server systems a
5 user profile comprising a plurality of profile elements
6 transmitted in a particular transmittable data format for
7 a particular user from a portable computer system,
8 wherein each of said plurality of server systems is
9 respectively associated with one of a plurality of
10 consumer providers;

11 inserting each of said plurality of profile elements
12 respectively into a specified plurality of electronic
13 registration elements required for electronic
14 registration at a particular server system from among
15 said plurality of server systems; and

16 transmitting a registration indicator for said
17 particular user from said particular server system to
18 said portable computer system in said particular
19 transmittable data format, such that said particular user
20 is automatically registered with said plurality of
21 consumer providers by transmitting said single user
22 profile to said plurality of server systems.

1 46. The method for automatically electronically
2 registering a user according to claim 45, said method
3 further comprising the step of:

4 storing said electronic registration in association
5 with said particular registration indicator at said
6 particular server system.

1 47. The method for automatically electronically
2 registering a user according to claim 46, said method
3 further comprising the step of:
4

5 in response to receiving said registration indicator
6 at said particular server system, retrieving said
7 electronic registration for said particular user.

1 48. The method for automatically electronically
2 registering a user according to claim 45, said method
3 further comprising the steps of:
4

5 automatically filtering a plurality of products and
6 services offered by said particular consumer provider
7 according to said user profile for said particular user;
and

8 transmitting a specified offering from among said
9 plurality of products and services to said portable
10 computer system for said particular user.

1 49. The method for automatically electronically
2 registering a user according to claim 45, said step of
3 receiving at each of a plurality of server systems a user
4 profile comprising a plurality of profile elements

5 transmitted in a particular transmittable data format for
6 a particular user from a portable computer system,
7 further comprising the step of:

8 receiving said user profile in an extensible mark-up
9 language data format.

1 50. The method for automatically electronically
2 registering a user according to claim 45, said step of
3 transmitting a registration indicator for said particular
4 user from said particular server system to said portable
5 computer system in said particular transmittable data
6 format, further comprising the step of:

7 transmitting a registration cookie from said
8 particular server system to said particular portable
9 computer system.

1 51. A system for automatically electronically
2 registering a user with a plurality of consumer
3 providers, said system comprising:

4 means for receiving at each of a plurality of server
5 systems a user profile comprising a plurality of profile
6 elements transmitted in a particular transmittable data
7 format for a particular user from a portable computer
8 system, wherein each of said plurality of server systems
9 is respectively associated with one of a plurality of
10 consumer providers;

11 means for inserting each of said plurality of
12 profile elements respectively into a specified plurality
13 of electronic registration elements required for
14 electronic registration at a particular server system
15 from among said plurality of server systems; and

16 means for transmitting a registration indicator for
17 said particular user from said particular server system
18 to said portable computer system in said particular
19 transmittable data format, such that said particular user
20 is automatically registered with said plurality of
21 consumer providers by transmitting said single user
22 profile to said plurality of server systems.

1 52. The system for automatically electronically
2 registering a user according to claim 51, said system
3 further comprising:

4 means for storing said electronic registration in
5 association with said particular registration indicator
6 at said particular server system.

1 53. The system for automatically electronically
2 registering a user according to claim 52, said system
3 further comprising:
4

5 means for retrieving said electronic registration
6 for said particular user, in response to receiving said
7 registration indicator at said particular server system.

1 54. The system for automatically electronically
2 registering a user according to claim 51, said system
3 further comprising:
4

5 means for automatically filtering a plurality of
6 products and services offered by said particular consumer
7 provider according to said user profile for said
particular user; and

8 means for transmitting a specified offering from
9 among said plurality of products and services to said
10 portable computer system for said particular user.

1 55. The system for automatically electronically
2 registering a user according to claim 51, said means for
3 receiving at each of a plurality of server systems a user
4 profile comprising a plurality of profile elements

5 transmitted in a particular transmittable data format for
6 a particular user from a portable computer system,
7 further comprising:

8 means for receiving said user profile in an
9 extensible mark-up language data format.

1 56. The system for automatically electronically
2 registering a user according to claim 51, said means for
3 transmitting a registration indicator for said particular
4 user from said particular server system to said portable
5 computer system in said particular transmittable data
6 format, further comprising:

7 means for transmitting a registration cookie from
8 said particular server system to said particular portable
9 computer system.

1 57. A program for automatically electronically
2 registering a user with a plurality of consumer
3 providers, residing on a computer usable medium having
4 computer readable program code means, said program
5 comprising:

6 means for receiving at each of a plurality of server
7 systems a user profile comprising a plurality of profile
8 elements transmitted in a particular transmittable data
9 format for a particular user from a portable computer
10 system, wherein each of said plurality of server systems
11 is respectively associated with one of a plurality of
12 consumer providers;

13 means for enabling insertion of each of said
14 plurality of profile elements respectively into a
15 specified plurality of electronic registration elements
16 required for electronic registration at a particular
17 server system from among said plurality of server
18 systems; and

19 means for transmitting a registration indicator for
20 said particular user from said particular server system
21 to said portable computer system in said particular
22 transmittable data format, such that said particular user
23 is automatically registered with said plurality of
24 consumer providers by transmitting said single user
25 profile to said plurality of server systems.

1 58. The program according to claim 57, said program
2 further comprising:

3 means for storing said electronic registration in
4 association with said particular registration indicator
5 at said particular server system.

1 59. The program according to claim 58, said program
2 further comprising:

3
4 means for retrieving said electronic registration
5 for said particular user, in response to receiving said
6 registration indicator at said particular server system.

1 60. The program according to claim 58, said program
2 further comprising:

3 means for transmitting a registration cookie from
4 said particular server system to said particular portable
5 computer system.

1 61. A method for managing staff at a consumer provider,
2 said method comprising the steps of:

3 receiving at a server system associated with a
4 particular consumer provider a plurality of consumer
5 preferences associated with a particular user transmitted
6 from a portable computer system associated with said
7 particular user when said portable computer system is
8 detected within a particular proximity of said particular
9 consumer provider;

10 filtering at said server system said plurality of
11 consumer preferences according to products or services
12 provided by said particular consumer provider; and

13 controlling output of selective instructions for
14 staff of said particular consumer provider, in response
15 to filtering said plurality of consumer preferences
16 according to products or services provided by said
17 particular consumer provider, such that said staff for
18 said particular consumer provider receive selective
19 instructions for serving said particular user according
20 to said plurality of consumer preferences and said
21 products or services provided by said particular consumer
22 provider when said particular user is within a particular
23 proximity of said particular consumer provider.

1 62. The method for managing staff at a consumer provider
2 according to claim 61, said step of filtering at said
3 server system said plurality of consumer preferences
4 according to products or services provided by said

5 particular consumer provider further comprising the step
6 of:

7 distinguishing a selection of products for said
8 particular user from among a plurality of products
9 offered by said particular consumer provider that satisfy
10 said consumer preferences for said particular user.

1 63. The method for managing staff at a consumer provider
2 according to claim 61, said step of filtering at said
3 server system said plurality of consumer preferences
4 according to products or services provided by said
5 particular consumer provider further comprising the step
6 of:

7 distinguishing a selection of services for said
8 particular user from among a plurality of services
9 offered by said particular consumer provider that satisfy
10 said consumer preferences for said particular user.

1 64. The method for managing staff at a consumer provider
2 according to claim 61, said step of filtering at said
3 server system said plurality of consumer preferences
4 according to products or services provided by said
5 particular consumer provider further comprising the step
6 of:

7 distinguishing staff treatment of said particular
8 user according to said consumer preferences for said
9 particular user.

1 65. A staff management system, said system comprising:

2 a server system associated with a particular
3 consumer provider that includes a database of products or
4 services provided by said particular consumer provider;

5 a transceiver associated with said server system for
6 receiving a plurality of consumer preferences associated
7 with a particular user transmitted from a portable
8 computer system associated with said particular user when
9 said portable computer system is detected within a
10 particular proximity of said particular consumer
11 provider;

12 a filtering element executable on said server system
13 that filters said plurality of consumer preferences
14 according to products or services provided by said
15 particular consumer provider; and

16 an output controller for controlling output of
17 selective instructions for staff of said particular
18 consumer provider at a particular output interface, in
19 response to filtering said plurality of consumer
20 preferences according to products or services provided by
21 said particular consumer provider, such that said staff
22 for said particular consumer provider receive selective
23 instructions for serving said particular user according
24 to said plurality of consumer preferences and said
25 products or services provided by said particular consumer
26 provider when said particular user is within a particular
27 proximity of said particular consumer provider.

1 66. The staff management system according to claim 65,
2 said filtering element further comprising:

3 means for distinguishing a selection of products for
4 said particular user from among a plurality of products
5 offered by said particular consumer provider that satisfy
6 said consumer preferences for said particular user.

1 67. The staff management system according to claim 65,
2 said filtering element further comprising:

3 means for distinguishing a selection of services for
4 said particular user from among a plurality of services
5 offered by said particular consumer provider that satisfy
6 said consumer preferences for said particular user.

1 68. The staff management system according to claim 65,
2 said filtering means further comprising:

3 means for distinguishing staff treatment of said
4 particular user according to said consumer preferences
5 for said particular user.

1 69. A program for managing staff at a consumer provider,
2 residing on a computer usable medium having computer
3 readable program code means, said program comprising:

4 means for receiving at a server system associated
5 with a particular consumer provider a plurality of
6 consumer preferences associated with a particular user
7 transmitted from a portable computer system associated
8 with said particular user when said portable computer
9 system is detected within a particular proximity of said
10 particular consumer provider;

11 means for filtering at said server system said
12 plurality of consumer preferences according to products
13 or services provided by said particular consumer
14 provider; and

15 means for controlling output of selective
16 instructions for staff of said particular consumer
17 provider, in response to filtering said plurality of
18 consumer preferences according to products or services
19 provided by said particular consumer provider, such that
20 said staff for said particular consumer provider receive
21 selective instructions for serving said particular user
22 according to said plurality of consumer preferences and
23 said products or services provided by said particular
24 consumer provider when said particular user is within a
25 particular proximity of said particular consumer
26 provider.

1 70. A method for managing electronic advertising from a
2 consumer provider, said method comprising the steps of:

3 receiving at a server system associated with a
4 particular consumer provider a plurality of consumer
5 preferences associated with a particular user transmitted
6 from a portable computer system associated with said
7 particular user when said portable computer system is
8 detected within a particular proximity of a plurality of
9 output devices associated with said particular consumer
10 provider;

11 filtering at said server system a plurality of
12 electronic advertisements for products or services
13 provided by said particular consumer provider according
14 to said plurality of consumer preferences; and

15 controlling output of said filtered electronic
16 advertisements from among said plurality of electronic
17 advertisements to a particular output device from among
18 said plurality of output devices wherein said particular
19 user is detected within a particular proximity of said
20 particular output device, such that said electronic
21 advertisements for said particular retailer are adjusted
22 at said plurality of output devices according to consumer
23 preferences of users within a particular proximity of
24 each of said plurality of output devices.

1 71. An electronic advertising management system, said
2 system comprising:

3 a server system associated with a particular
4 consumer provider that includes a plurality of electronic
5 advertisements for products or services provided by said
6 particular consumer provider;

7 a transceiver associated with said server system for
8 receiving a plurality of consumer preferences associated
9 with a particular user transmitted from a portable
10 computer system associated with said particular user when
11 said portable computer system is detected within a
12 particular proximity of said particular consumer
13 provider;

14 a filtering element executable on said server system
15 that filters said plurality of electronic advertisements
16 according to said plurality of consumer preferences; and

17 an output controller for controlling output of said
18 filtered electronic advertisements from among said
19 plurality of electronic advertisements to a particular
20 output device from among said plurality of output devices
21 wherein said particular user is detected within a
22 particular proximity of said particular output device,
23 such that said electronic advertisements for said
24 particular retailer are adjusted at said plurality of
25 output devices according to consumer preferences of users
26 within a particular proximity of each of said plurality
27 of output devices.

1 72. A program for managing electronic advertising from a
2 consumer provider, residing on a computer usable medium
3 having computer readable program code means, said program
4 comprising:

5 means for receiving at a server system associated
6 with a particular consumer provider a plurality of
7 consumer preferences associated with a particular user
8 transmitted from a portable computer system associated
9 with said particular user when said portable computer
10 system is detected within a particular proximity of a
11 plurality of output devices associated with said
12 particular consumer provider;

13 means for filtering at said server system a
14 plurality of electronic advertisements for products or
15 services provided by said particular consumer provider
16 according to said plurality of consumer preferences; and

17 means for controlling output of said filtered
18 electronic advertisements from among said plurality of
19 electronic advertisements to a particular output device
20 from among said plurality of output devices wherein said
21 particular user is detected within a particular proximity
22 of said particular output device, such that said
23 electronic advertisements for said particular retailer
24 are adjusted at said plurality of output devices
25 according to consumer preferences of users within a
26 particular proximity of each of said plurality of output
27 devices.

ABSTRACT OF THE DISCLOSURE
MANAGING CONSUMER PREFERENCES WITH A PORTABLE DATA
PROCESSING SYSTEM

In accordance with the method, system, and program
of the present invention, consumer preferences designated
for a user are transmitted in a transmittable data format
from a portable data processing system associated with
the user to multiple independent server systems each
associated with a consumer provider from among multiple
diverse consumer providers. Specialized services and
products from each of the diverse consumer providers are
designated for the user at each of the independent server
systems, in response to comparing the consumer
preferences for the user with a database of services and
products at each of the independent server systems. The
designated specialized services and products are
transmitted to the portable data processing system in the
transmittable data format, such that a consumer provider
from among multiple diverse consumer providers adjusts
offerings of services and products provided to a
particular user via a portable data processing system
according to electronically received consumer preferences
for the particular user.




FIG. 1




FIGURE 3




Figure 4




FIGURE 5




Figure 6

**DECLARATION AND POWER OF ATTORNEY FOR
PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

MANAGING CONSUMER PREFERENCES WITH A PORTABLE DATA PROCESSING SYSTEM

the specification of which (check one)

X is attached hereto.

___ was filed on _____
as Application Serial No. _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):	Priority Claimed
<div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 30%;">_____ (Number)</div> <div style="width: 30%;">_____ (Country)</div> <div style="width: 30%;">_____ (Day/Month/Year)</div> </div>	<div style="display: flex; justify-content: flex-end; margin-top: 10px;"> <div style="width: 40px; border-bottom: 1px solid black; margin-right: 10px;"></div> <div>Yes No</div> </div>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior

application and the national or PCT international filing date of this application:

(Application Serial #)

(Filing Date)

(Status)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John W. Henderson, Jr., Reg. No. 26,907; Thomas E. Tyson, Reg. No. 28,543; Robert M. Carwell, Reg. No. 28,499; Jeffrey S. LaBaw, Reg. No. 31,633; Douglas H. Lefevre, Reg. No. 26,193; Casimer K. Salys, Reg. No. 28,900; David A. Mims, Jr., Reg. No. 32,708; Volel Emile, Reg. No. 39,969; James H. Barksdale, Jr. Reg. No. 24,091; Anthony V. England, Reg. No. 35,129; Leslie A. Van Leeuwen, Reg. No. 42,196; Marilyn S. Dawkins, Reg. No. 31,140; Mark E. McBurney, Reg. No. 33,114; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John E. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; Matthew S. Anderson, Reg. No. 39,093; Matthew W. Baca, Reg. No. 42,277; Michael R. Barré, Reg. No. 44,023; Max Ciccarella, Reg. No. 39,454; Andrew J. Dillon, Reg. No. 29,634; Justin M. Dillon, Reg. No. 42,486; John G. Graham, Reg. No. 19,563; Andrew M. Harris, Reg. No. 42,638; Steven Lin, Reg. No. 35,250; Richard N. McCain, Reg. No. 43,785; Jack V. Musgrove, Reg. No. 31,986; Antony P. Ng, Reg. No. 43,427; Michael E. Noe, Jr., Reg. No. 44,975; Brian F. Russell, Reg. No. 40,796; and Daniel E. Venglarik, Reg. No. 39,409.

Send correspondence to: Andrew J. Dillon, FELSMAN, BRADLEY, VADEN, GUNTER & DILLON, LLP, Suite 350, Lakewood on the Park, 7600B North Capital of Texas Highway, Austin, Texas 78731, and direct all telephone calls to Andrew J. Dillon, (512) 343-6116.

FULL NAME OF SOLE OR FIRST INVENTOR: MICHAEL WAYNE BROWN

INVENTORS SIGNATURE: Michael Wayne BrownDATE: 4/27/2000

RESIDENCE: 529 River Down Road
Georgetown, Texas 78628

CITIZENSHIP: US

POST OFFICE ADDRESS: 529 River Down Road
Georgetown, Texas 78628

FULL NAME OF SECOND INVENTOR: KELVIN RODERICK LAWRENCE

INVENTORS SIGNATURE: Kelvin Roderick Lawrence DATE: 4/27/00

RESIDENCE: 1013 Long Cove
Round Rock, Texas 78664

CITIZENSHIP: United Kingdom

POST OFFICE ADDRESS: 1013 Long Cove
Round Rock, Texas 78664

FULL NAME OF THIRD INVENTOR: MICHAEL A. PAOLINI

INVENTORS SIGNATURE: Michael A. Paolini DATE: 4-27-00

RESIDENCE: 1406 Terra Street
Round Rock, Texas 78664

CITIZENSHIP: US

POST OFFICE ADDRESS: 1406 Terra Street
Round Rock, Texas 78664